Republic Waste Services of Texas, LTD
Non-Hazardous Waste PCB Profile
(MUST BE FILLED OUT COMPLETELY)

REPUBLIC SERVICES, INC.

REPUBLIC SERVICES, INC.

A. GENERATOR INFORMATION

1. Generator Name: USEPA - REGION 6
2. Site Location: 905 N. POPLAR
3. City: LEONARD
   State: TEXAS Zip: 75452
4. Phone: (214- 665- 6609 (GARY MOORE)
5. ~~Fax:~~ CELL: 214- 789- 1627
6. State Facility I.D. #: CERCLA REMOVAL
7. State Waste Code: N/A

B. CUSTOMER INFORMATION

1. Customer Name: ENVIRONMENTAL RESTORATION, LL
2. Address: 1666 FABICK DRIVE
3. City: FENTON
   State: MO Zip: 63026
4. Phone: 888- 814- 7477
5. Fax: (636- 227- 6447
6. Contact: DON EDGINGTON
7. Title: RESPONSE MANAGER

C. WASTE STREAM INFORMATION

1. Common Name of Waste: TSCA CONTAMINATED SOIL & DEBRIS
2. Detailed Description of Process Generating Waste and Material Description: EXCAVATION AND REMOVAL FOR PROPER DISPOSAL OF TSCA REGULATED POLYCHLORINATED BIPHENYLS (PCB) CONTAMINATED SOIL. ANALYTICAL INCLUDED.
3. Industrial Generator [ ]Yes [✓]No
4. Municipal Generator [ ]Yes [✓]No
5. Does the waste contain polychlorinated biphenyls (PCBs) regulated under EPA rules at TSCA 40 CFR Part 761? [✓]Yes [ ]No
6. Form Codes: Which of the following best describes the PCB Containing Waste: 394 395 396 397 (398) 399
   (See Form Code descriptions on the back of this form) 494 495 496 497 498 499
   598 599 698 699
7. Odor: [✓] None [ ] Mild [ ] Strong (describe)
8. Color VARIES 9. Flash Point N/A 10. Viscosity N/A
11. Reactive [ ]Yes [✓]No With: — 12. pH Range: N/A
13. Free Liquid: [ ]Yes [✓]No 14. Water Content: N/A % by Water
15. Were analytical tests to determine PCB concentrations performed using: [✓] EPA8082 [ ] EPA
16. Does the waste contain radioactive or U.S. D.O.T. hazardous material materials? [ ] Yes [✓] No

D. SUPPLEMENTAL INFORMATION

[ ] None [ ] MSDS [✓] Analytical Data [ ] Memo/Letter [ ] Process Knowledge No. of Pages

E. SHIPPING INFORMATION

1. Estimated Volume: 3,000 [ ] Gallons [ ] Yards [✓] Other TONS

F. GENERATOR / CUSTOMER CERTIFICATION

I hereby certify that all information submitted and all attached documents contain true and accurate descriptions of this waste. No deliberate or willful omissions of composition or properties exist, and all known or suspected hazards have been disclosed. I further certify that the waste is not designated a Hazardous Waste defined by the USEPA in 40 CFR 261.

I, GARY Moore (Name, Please Print), am employed by USEPA (Company Name) and am authorized to sign this request for:

U.S. Environmental Protection Agency (Company Name) (Signature) 10/29/2018 (Date)

G. LANDFILL USE ONLY (DO NOT WRITE WITHIN THIS SPACE)

Compliance Officer
Date ☐ Approved ☐ Rejected
Additional Information

State Fee Applicable Class I [ ]Yes [ ]No
State Fee Applicable MSW [ ]Yes [ ]No
Waste Disposal Agreement On File [ ]Yes [ ]No
Surety Agreement on File [ ]Yes [ ]No [ ]N/A

JOB #

9975482

Form Code Descriptions:

394 Nonhazardous solids containing greater than or equal to 50 ppm and less than (<) 500 ppm PCBs

395 Nonhazardous solids containing greater than or equal to 500 ppm PCBs

396 Nonhazardous electrical equipment/devices containing greater than or equal to 50 ppm and less than (<) 500 ppm PCBs

397 Nonhazardous electrical equipment/devices containing greater than or equal to 500 ppm PCBs

398 Nonhazardous soils containing greater than or equal to 50 ppm and less than (<) 500 ppm PCBs

399 Nonhazardous soils containing greater than or equal to 500 ppm PCBs

494 Solids containing greater than or equal to 50 ppm and less than (<) 500 ppm PCBs

495 Solids containing greater than or equal to 500 ppm PCBs

496 Electrical equipment/devices containing greater than or equal to 50 ppm and less than (<) 500 ppm PCBs

497 Electrical equipment/devices containing greater than or equal to 500 ppm PCBs

498 Soils containing greater than or equal to 50 ppm and less than (<) 500 ppm PCBs

499 Soils containing greater than or equal to 500 ppm PCBs

598 Nonhazardous inorganic sludges containing greater than or equal to 50 ppm and less than (<) 500 ppm PCBs

599 Nonhazardous inorganic sludges containing greater than or equal to 500 ppm PCBs

698 Nonhazardous organic sludges containing greater than or equal to 50 ppm and less than (<) 500 ppm PCBs

699 Nonhazardous organic sludges containing greater than or equal to 500 ppm PCBs